



QPSK DIGITAL SAT (BACK = (SPN))
PRMT(MENU) CONST(DIGI) MPEG(TV)

SYMBOL RATE : 4500

CODE : 5/6 Auto

SPECT : Di Auto

LOCKED

CFO: -0.4

PWR index: LOW

MER: 10.7 dB

NM : 2.9 dB

RU : 0

(00h00m10s)

Ch BER: 3.67e-04

pV BER: 0.00e-08

feed AL Diyar 12 508 MHz - V pol
antenna diameter 120-180 cm



CZECH & SLOVAK DX SATELLITE CLUB

DXSATCS.com from section FEEDS & BLINDSCAN PRESENTS :

AL Diyar feed uplinking from Jordan now use transponder TP 2
f=12 508 MHz and broadcast socker with stable CN spacing about 5
dB with dish diameter 300 cm in central Europe :

Feed LINK NIT name : Al Diyar

Satellite name : BADR 4 at 26,0°East

Frequency : 12 508 MHz – KU band

Polarity : V pol

SR : 4 500

FEC : 3/4

Antenna diameter : FSS BEAM 120-180 cm

EXCLUSIVE HOT NEWS ONLY FROM :

CZECH & SLOVAK SATELLITE DX CLUB <http://dxsatcs.com>

SATELLITE ENGINEERING C & KU band

Roman Dávid - author <http://dxsatcs.com/>

town : Lučenec , Slovak Republic,East Europe

tel : 00421/915/610 204

mail : roman.david@dxsatcs.com